COSSD PRODUCT CATALOGUE

for



This product catalogue has been downloaded from *COSSD.com*. Listed products/services and their descriptions are shown as supplied by the title company—*COSSD* does not guarantee the accuracy or completeness of the information presented. Hosting of the PDF does not constitute an endorsement by *COSSD* of the products/services being offered.





SMARTPHONE / WEBSITE / DIGITAL EDITION / BOOK / iPAD / GPS

The Saddle Bag WeightTM

A LEADING PRODUCT FOR THE OIL AND GAS PIPELINE INDUSTRY

> Simple Fast Safe Efficient



We will customize any Saddle Bag Weight[™] to meet the size of pipe AND the weight that you require.

Call us today for a quotation!



Toll Free: 1-888-833-5661 - Phone: 1-780-675-5661 - Fax: 1-780-675-1123 Email: sales@saddletech.ca - Website: www.saddletech.ca 4015-53 Street - Athabasca, Alberta, Canada - T9s 1A7 The Saddle Bag WeightTM is manufactured in our own facility in Athabasca, Alberta, Canada. This ensures the highest quality control and enables us to customize our products to suit specific customer needs in a very limited time frame.





Advantages

- •Environmentally friendly no leaching of lime or sulphur
- •Non-biodegradable after installation and easily removed if required
- •Specialized equipment ensures fast loading
- •Engineered lifting tool available for weight installation
- •Off loading tool available for stock piling (allows for unloading multiple weights at one time)
- •No pallets to return or clean up from job site
- •Our unique and patented strapping design does not allow The Saddle Bag Weight[™] to fall off of line pipe like other soft weight designs do

•Low center of gravity eliminates the need for an extra man to hold weights upright while installing

- •No extra men and equipment needed to reposition overturned weights when lowering in
- •Custom design available for a specific type of pipe (fiberglass, plastic or steel)
- •So versatile it can be used on a variety of pipe sizes
- •Easy to secure on a trailer and less movement when hauling
- •Reduces safety problems during installation
- •No bolts or hand tools required to install
- •No manual handling (joining of weight halves)
- •Simple and Efficient installation reduces crew sizes and labor requirements
- •No rock shield required
- •The Saddle Bag Weight $^{\rm TM}$ preferred ballast is screened dry sand
- •No damage to pipe when installed
- •Eliminates the need for sand bags when separating multiple pipelines
- •May be used as a set-on weight due to the low center of gravity
- •Eliminates uncontrolled rolling of weighted pipe into trench

Simple Fast Safe Efficient 4015 - 53 Street Athabasca, Alberta T9S 1A7



Phone: 1-780-675-5661 Toll Free: 1-888-833-5661 Fax: 1-780-675-1123

Email: sales@saddletech.ca Website: www.saddletech.ca

Trucking Capacities

Weight Size	lbs / Bag	Tandem 20,000 Kg - 44,000 lbs	Triaxle 26,500 Kg - 58,300 lbs	Super B 39,500 Kg - 86,900 lbs
2"	25	1,760	2,332	3,476
2"	50	880	1,166	1,738
4"	220	200	265	395
6"	440	100	132	197
8"	660	66	88	131
10"	1100	40	53	79
12"	1600	27	36	54
16"	2500	17	23	34
20"	5000	8	11	17
24"	5000	8	11	17

** please note that these are approximate capacities, they may have to be adjusted for your tractor

size



4015 - 53 Street Athabasca, Alberta T9S 1A7 Phone: 1-780-675-5661 Toll Free: 1-888-833-5661 Fax: 1-780-675-1123

"The Saddle Bag Weight™"

Email: sales@saddletech.ca Website: www.saddletech.ca

Weights and Sizes

Size	Weight Kg	Weight Lb
2"	12	25
2"	23	50
3"	23	50
4"	100	220
6"	200	440
8"	300	660
10"	500	1,100
12"	730	1,600
16"	1,135	2,500
20"	2,270	5,000
24"	2,270	5,000
26"	2,270	5,000
30"	3,180	7,000
36"	4,090	9,000
42"	5,455	12,000
48"	5,455	12,000

Manufacturing facilities are located in Athabasca, Alberta. Loading will be available 24 hours with advance notice. ALL PRICES ARE F.O.B. ATHABASCA.